Certified To : William Kemp

UNDARY SURVEY
t 8 , Block, 5 , AMENDED AND REVISED PLAT OF SHARK KEY ,
cording to the Plat thereof as Recorded in Plat Book 7 , Page 49 , of the Public
cords of Monroe County, Florida.




4-30-07; SHOW DWELLING SET BACK ACCORDING TO BORE AND POURED COLUMNS.

LOT IS VACANT

This Lot appears to be in Flood Zone AE,
with a base flood elevation of 10 feet,
F.I.R.M. No. 125129-1732H 5-3-97.

BENCHMARK: 8.0'; Nail in Conc. Util. Pole @ the S.W. Lot corner.

There are no above ground encroachments that are not shown.

SURVEY NOT VALID IF NOT SEALED WITH A RAISED SURVEYORS SEAL.

Certification:
I hereby certify that this survey meets the Minimum Requirements of Chapter 61G17-6, Florida Administrative Code, Pursuant to Section 472.027, Of the Florida Statutes.

Harold L. Overbeck, PLS No. 2912

Surveyors Notes:
smp =set 3/4 " metal pipe, no. lb2863
sir = set ½" iron rod, no.lb2863
fir= found iron rod size as shown
fip= found iron pipe size as shown
snd=set nail and disk no.lb2863
fnd= found nail and disk no. as shown
fnu= found nail and nut
fnw= found nail and washer
℄ = centerline ℘ = property line
pc= point of curve PI= point of intersection
R/W= right-of-way
= concrete area = utility pole
(M)=measured (R)=record (D)=deed
P.O.B.= Point of Beginning
Elevations are shown thus 0.00 , and are N.G.V.D.-29
All lot angles are 90 degrees unless shown otherwise.
M.H.W.= mean high water and is approximate and does not purport to establish local datum or tidal boundary lines.

| | | | |
|---|---|---|---|
| Date: 3-11-02 | Revision: | Harold L. Overbeck, PLS<br>1620 Buttonwood Dr.<br>P.O.Box 1346 Big Pine Key, Fl.<br>305-872-4763 Fax 305-872-7146 | Section 14 , Twp. 67 s, Range 26 e |
| Scale: 1"=30' | | | No. 02041 |